

INDEX

Numbers in emphasis indicate the location of the general description of parasites or diseases, and the location of the classification for fishes and other hosts. Local fish hosts are not indexed from the parasite descriptions because these can be more easily found in the Checklist. Only diseases not specifically named in the text are indexed from the Host-Disease Checklist.

- Acanthocephala, 79 (see also thorny-headed worm)
Acanthocephalus alabamensis, **80-81**
Acanthocybium solandri, **48**
 Acari, 103 (see also mite)
Achirus lineatus, **138**
Achlya spp., 23
Acolpenteron ureteroecetes, 8, **38**
Actinocleidus
 fusiformis, 28, 33, **30**, 35
 gracilis, 28, **30-31**, 35, 36, 120
Aeromonas sp., 130, 133
 hydrophila, 12, **111**, 128
 algae
 fish parasites, 128
 free living, 20
 human parasites, 21, 128
Allopyragraphorus hippos, **46**
Ambiphrya ameiuri, **13-14**
Ameiurus catus, **130**
 nebulosus, **130**
 nebulosus marmoratus, **130** fn
 nebulosus nebulosus, **130** fn
 American eel, 109, **129**
Amnicola limosa, **54**
 amphibians, 61, 65, 82, 104, 106, 109
 amphipods, intermediate host, 80
 Anabantidae, 138
Ancyrocephalus sp. a & b, **31-32**
 vanbenedenii, 37
Agonostomus monticola, **137**
Anguilla rostrata, **129**
 Anguillidae, 129
Anodonta grandis, **109-110**
 antherinid(s), 71
Apiosoma micropteri, 10
 piscicolum, **10-11**
 Aplocheilidae, 131
 aquaculturalist(s), 111, 122
 aquaculture, pest(s), 121
 aquarium fish(es)
 disposal, 126-127
 hobbyist(s), 122, 126
 introduction(s)
 disease, 6, 111-112
 fish(es), 119, **126-127**
 parasite, 126, 127
 lymphocystis disease, 111
 report problems, 127
 unwanted fish(es), 126
 aquatic insect(s)
 fish, intermediate, 77, 79
 intermediate host, 105
 Arachnida, 103-104
Architeuthis sanctipauli, **108**
Ardea herodias, **51**
 argulid(s), 97, 98 (see also fish lice)
Argulus sp., 97-98
 japonicus, 96, **97-99**, 118-121
Artystone trysibia, **100-101**
 Asian tapeworm, **62-63**
Astronotus ocellatus, **135**
 Atlantic spadefish, **135**
 Atlantic thread herring, **129**

- Awaous tajasica*, **138**
 bacteria (see disease)
 bait, 63, 82
 barb(s), 63, 98
 barnacle(s), 104
 bay whiff, **138**, 141
 bellmouth rams-horn, **52**
 Belonidae, 131
 belted kingfisher, **52**
 bigmouth sleeper, **138**
 bilharzia, 48, 123
 biological control, 66, 113, **123**
Biomphalaria glabrata, 123
 bird(s)
 fish, final host, 61, 71, 76, 120
 host, 82, 104, 106
 mortality, 72, 127
Bittium varium, **58**
Bivesicula tarponis, **56**
 black-crowned night heron, **51**,
 53, 67
 black grub(s), **51-52**, 142
 blood flagellates, 7
 blue crab, **83**
 bluegill, 14, 15, 21, 33, 89, 90,
 107, 109, **132**
 blue-green algae, 21
 blue tilapia, 89, **135**
 boat
 ramp slime, 20
 algae, 20
Bomolochus nitidus, **86-87**
 book
 explanation, 1-2
 obtaining, ii, 141
 boreal marstonia, **54**
 Bothidae, 138
Bothriocephalus acheilognathi,
 40, **62-63**, 119-121
 Brachiura, 97 (see also fish lice)
Brachyphallus parvus, **59**
 brown algae, 20
 brown bullhead, 14, 90, **130**
 brown pelican, **73**, 127
Bufo marinas, **123**
 bullhead catfishes, 14-16, 130
 burro grunt, **135**
Butorides striatus, **51**
 caiman(s), 66, 106-108, 121
Caiman crocodilus, **107**
 caiman tongueworm, **106-108**,
 118, 121, 127
Caligus irritans, **91-92**
 pomacentrus, **92-93**
Calinectes bocourti, **83**
 sapidus, **83**
Camallanus cotti, **73-74**, 121
 candling, 50, 75
 cane beetles, 123
 cane toad, **123**, 142
 Carangidae, 45, 46, 93, 134
Caranx hippos, **134**
 latus, **134**
Carassius auratus, 129
 carp(s), 63, 87, 95, 109, 129
Casmerodius albus, **51**
 cat, parasitized, 72
 cattle, 103
Cemocotyle noveboracensis, **46-**
 47
 Centrarchidae, 8, 132
 Centropomidae, 131,
Centropomus ensiferus, **131**
 parallelus, **131**
 pectinatus, **132**
 undecimalis, **132**
 cercaria, 48, 82, 123
Cercaria caribbea, **58**
Ceryle alcyon, **52**
 Cestoda, 61
 cestode(s), 60-68
 Cestoidea, 60 (see also
 tapeworm)
Chaetodipterus faber, **135**
 channel catfish, 14, 16, 20, 63,
 78, 90, 95, 98, 109, **130**, 144
Chilodonella hexasticha, 3
Chlorella sp., **21-22**, 118
 Chlorophyta, 20 (see also green
 algae)
Cichla ocellaris, **135**
 Cichlidae, 135

- Cichlidogyrus tilapiae*, 28, **32**,
 119-121
 cichlids, 29, 101, 135
 ciguatera fish poisoning
 dinoflagellate, 5-6
 parasite indicator, 99, 101, 102
 ciliate(s), fish parasites, 3-4, 9-20
 Ciliophora, 3 (see also ciliate)
Citharichthys spilopterus, **138**
Cittarium pica, **108**
 classroom examples, 1
Clavunculus bursatus, 28, 30,
 33, 35, 120
 cleaning behavior
 green sunfish, 96
 isopod, 99
Cleidodiscus floridanus, 34
 pricei, **33-34**
Clinostomum complanatum, **53-**
 54, 127
 Clupeidae, 129
 cockroach(es), 104
 common carp, **40**, 98
 common snook, **132**
Contracaecum sp., 78
 spiculigerum, **72-73**
 cooking, 128
 Copepoda, 84 (see also copepods)
 copepod(s)
 free living, 84-85
 parasite host, 12, 63, 65, 80
 parasite, 84-97
 cosmopolitan, 88, 94, 98, 120
 crab(s), 83, 99, 104
Crassostrea rhizophorae, **108**
 crayfish, 79
 crevalle jack, **134**
 Crustacea, 84
 crustaceans
 final host, 82
 fish parasite, 84
 free living, 84
 intermediate host, 68, 73, 79
Ctenopharyngodon idella, **130**
Cymothoa oestrum, **101-102**
 Cyprinidae, 18, 129
 cyprinodontids, 71
Cyprinus carpio, **40**
Cystoopsis sp., 78
Dactylogyrus sp., **38-39**
 anchoratus, **39-40**
 bifurcatus, **40**, 121
 darter goby, **138**
Diapterus plumieri, **134**
 Digenea, 48 (see also flukes)
 dinoflagellates, 5-6
 dinosaur, 106
Diplectanocotyla gracilis, **41**
Diplectanum collinsi, **41-42**
Diplostomulum spp., 49
 disease(s)
 algal, 128
 bacterial
 fish, 111-112
 vector, 82, 103
 black spot, 52
 CCVD, 111
 channel catfish, 111, 144
 channel catfish virus, **111**
 eggs, 23
 fish, 82, 84, 111-114
 fish, human, 12-13, 21, 128
 free stock, 111
 gas bubble, **114**
 lymphocystis, 82, 100, **111**
 parasite association, 12
 red sore, 12, 111
 rickettsia, 103
 secondary, 3, 12, 24, 27, 97
 spinal curvature, 112
 spring mortality, 111
 tilapia wasting, **112-113**, 118,
 121
 tumor(s), **112**, 142
 vector, 7, 82
 velvet disease, 5-6
 virus(es), 103, **111**
 wild fish, unusual, 21
 dollar sunfish, **31**
 domestic cat, parasitized, 72
Dormitator maculatus, **137**
Dorosoma petenense, **129**

- double-crested cormorant, **73**
 duck, mortality, 72
 earthworms, 71
Echinochasmus donaldsoni, **54**
 education, 1 (see also classroom)
Edwardsiella ictaluri, **111**
Egretta caerulea, **51**
 thula, **51**
 rufescens, **73**
 Eleotridae, 138
Eleotris pisonis, **138**
 Elopidae, 129
Elops saurus, **129**
 Ehippidae, 135
 epithelial hyperplasia, 130
Epinephelus guttatus, **60**
Epistylus spp.
 fish, 11
 shrimp, 12
Epistylus colisarum, **11-12**, 118
 epizootic, 29, 30, 34, 35, 88, 95
 (see also fish kill & mass
 mortalities)
 ergasilids, 87
Ergasilus sp., 87
 sp. cf *lizae*, **89**
 arthrosis, 89
 caeruleus, **87-88**
 labracis, 87
 lizae, **88-89**, 118
 mugilis, 89
 nanus, 89
 spatulus, 89
 versicolor, **90**
 escabeche, 127
Eucinostomus argenteus, **134**
 melanopterus, **134**
Eupera portoricensis, **110**
Eustrongylides sp., 71, 72
 ingotus, **70-72**, 118
 perpapillatus, 70
 wenrichi, 70
 extirpation, 63
 eye grubs, 49
 fantail mullet, 89, **137**
 fathead minnow, 18, 63, 107, **130**
 fat sleeper, **137**
 fat snook, 42, **131**
 fire ant(s), 104
 fish(es) (see sport fish)
 fish kill(s) (see also epizootic &
 mass mortalities)
 agencies, 114
 disease cause, 111
 explanation, **118**
 investigation, 114, 118
 parasite cause, 3, 7, 21, 72, 88,
 89, 109
 reporting, 114
 fish lice, **97-99**
 fish poisoning (see ciguatera)
 flagellates, 3-7
 flagfin mojarra, **134**
 flatworms, 25
Flexibacter columnaris, **111**
 Florida largemouth bass, **133**
Floridosentis mugilis, **81**
 flukes, 48, 55-59, 120
 freezing
 parasites, never, 114
 raw fish, precaution, 128
 freshwater eels, 129
 frog(s), 66, 97, 142
Fundulus spp., **83**
 fungal-like, 22 (see also fungus)
 Fungi, 22
 fungus 22-25, 112-113
Gambusia affinis, **131**
 Gerreidae, 134
Gerres cinereus, **135**
 giant clam(s), **108**
 giant floater, 109
 giant squid, **108**
 gillworms, 25-47, 142
 glochida, 109-110
 gobies, 138
 Gobiidae, 138
Gobioides broussoneti, **138**
Gobiomorus dormitor, **138**
Gobionellus boleosoma, **138**
 golden shiner, **63**
 goldfish, 109, **129**

- gouramies, 138
 grass carp, 14, 98, **130**
 grass shrimp, **83**
 gray snapper, **134**
 great barracuda, **102**
 great blue heron, **51**, 53
 great egret, **51**, 53
 green algae
 fish parasite, 20-22, 128
 free living, 20
 green-backed heron, 51
 green heron, **51**, 53, 67
 green sunfish, **12**, 33, 96
 green swordtail, 21, 103, 107,
 131
 groupers, 92
 grub(s), 48-55, 120
 grunts, 135
 Guadalupe bass, **38**
 guppy, 109, **131**
Gyrodactylus cichlidarum, 28,
 29, 118, 119-121
 Haemulidae, 135
Haploclleidus furcatus, 28, 30, 33,
 34-35, 36
Haploplanchus mugilis, **56-57**
Harengula jaguana, **129**
 helminths, 68
Helostoma sp., **53**
 temmincki, **138**
 herring gull, **73**, 76
 herrings, 129
 Hirudinida, 82 (see also leeches)
 horse-eye jack, **134**
 house cat (see domestic cat)
 house fly(ies), 104
 human
 attack, 82, 97, 99
 bite, 97-99, 108
 contamination, 128
 disease (see disease)
 gastric distress, 127
 parasite (see parasite, fish)
 perforate intestine, 72
 sight impairment, 128
 surgical removal, 72, 127
 hybrid bass, 133 fn
Hydrachna sp., **104-105**
Hymenocotta manteri, **57**
 ich (see *Ichthyophthirius*)
Ichthyophthirius multifiliis, **9-10**,
 118, 121
 Ictaluridae, 34, 130
Ictalurus punctatus, **130**
 insect(s), 104 (see also aquatic)
 introduction(s)
 aquaculture pest(s), 121
 eradication, 64, 120, 121
 exotic aquaculture, 126
 exotic, native, 121
 fish, 117-118, **126**
 glochidia, 109
 hypotheses, **118-122**
 life cycle, 50, 51, 120
 parasites, 117-122
 predisposition, 119
 private, 126
 recent, 28-29, 36, 63-65
 reintroductions, 29, 63, 119
 unsuccessful, 120
 isopod
 fish parasite, 99-103
 host, 80, 99
 jacks, 92, 93, 134
 kidney stone, 133
 killifish, **83**
 kissing gourami, 21, **138**
 ladyfish, **129**
 largemouth bass, 67, 88, 89, 109,
 133, 133 fn
Laurus argentatus, **73**
Lecithochirium monticellii, **59**
 leech(es) (see also *Myzobdella*)
 fish, 82-84
 non-fish, 82, 147
 vector, fish parasites, 7
 lefteye flounders, 138
Lepidotes, 41
Lepomis sp(p), 35, 36, 88, 120
 auritus, **132**
 cyanellus, **12**
 gibbosus, **18**

- macrochirus*, **132**
marginatus, **31**
microlophus, **132**
Lernaea cyprinacea, **94-96**, 118,
 120, 121
Lernaeenicus longiventris, **96-97**
Lernanthropus giganteus, **93**
rathbuni, **93-94**
Ligictaluridis, **33**
Limodrilus sp., **71**
 lined sole, **138**
Liposarcus multiradiatus, **131**
Lironeca symmetrica, **102-103**,
 121
 little blue heron, **51**, **53**
 livebearers, **131**
 liza, **137**
 Loricariidae, **131**
 Lutjanidae, **134**
Lutjanus griseus, **134**
 mammal(s), **71**, **82**, **104**, **106**
 mangrove molly, **131**
 mangrove rivulus, **131**
 maps, **1**, **152-153**
 marine mite, **105**
 marsh rams-horn, **52**
Marstonia lustrica, **54**
 mass attacks, **83**, **99**
 massive infections, **107**
 mass mortalities (see also
 epizootic & fish kill)
 ducks, **72**
 fishes, **21**, **23**, **112**
 Mastigophora, **3** (see also
 flagellate)
Megalops atlanticus, **129**
 mergansers, killed, **72**
 metacercaria, **49** (see also grubs)
Metamicrocotyla macracantha,
 37, **46**
Micrococcus sp., **130**, **135**
Microphis brachyurus, **131**
Micropterus sp., **38**
 coosae, **133**
 dolomieu, **30**
 notius, **35**
 punctulatus, **30**
 salmoides, **133** fn
 salmoides floridanus, **133**
 s. f. X *M. s. s.* hybrid, **133**
 salmoides salmoides, **133** fn
 treculi, **38**
 millipede(s), **104**
 minnows, **40**, **63**, **129**
 mite, **103-105**
 mojarras, **42**, **134**
 Mollusca **108** (see also mollusk)
 mollusk
 fish associate, **108**
 fish parasite, **108-110**
 host, **104**, **108**
 intermediate host, **48-55**, **79**
 monkey(s), **103**
 Monogenea, **25** (see also
 gillworms)
 Monopisthocotylea, **27**
Morone saxatilis, **42**
 mosquito(es), **104**
 mountain mullet, **137**
 Mozambique tilapia, **135**
 mud amnicola, **54**
Mugil cephalus, **12**
 curema, **137**
 liza, **137**
 trichodon, **137**
 Mugilidae, **77**, **137**
 mullets, **92**, **95**, **137**
Murraytrematoides sp., **35**
 mushroom(s), **104**
 mussel, **109-110**
Myxobilatus mictosporus, **8-9**, **38**
 myxosporidian(s), **3-4**, **8-9**
 Myxozoa, **3** (see also
 myxosporidians)
Myzobdella lugubris, **7**, **82-84**,
 118, **121**
 needlefishes, **131**
 Nematoda, **68** (see also
 roundworm)
 nematode(s), **68**
 nemertean(s), **104**
Neobenedenia

- melleni*, **42-44**, 121, 143
pacifica, **44**
pargueraensis, **143**
Neogasilus japonicus, 87
Neogogatea pandionis, **52-53**
 Nile tilapia, **136**
Notemigonus crysoleucas, **63**
 nudibranch, 108
Nycticorax nycticorax, **51**
 octopus, **108**
Octopus briareus, **108**
 Oligochaeta, 71
Onchocleidus
 ferox, 28, 35, **36**, 120
 principalis, 28, **36-37**
Oodinium, 5
 Oomycota, 22 (see also fungus)
Ophiotaenia sp., **66**, 68, 118, 121
Ophiovalipora lintoni, 67
 minuta, 66, **67-68**, 118, 121
 nycticoracis, 67
Opisthonema oglinum, **129**
 opossum pipefish, **131**
 oscar, 29, **135**
 osprey, **53**
 oyster, **108**
Palaemonetes pugio, **83**
Pandion haliaetus, **53**
Paraergasilus sp., **90-91**
Paracryptogonimus centropomi,
 58
Paralichthys lethostigma, **83**
 parasite(s)
 adaptation, 2, 18, 118, 121-122
 avoiding new, 37, **124**
 biological control, 66, 113, **123**
 behavior change, 6, 24, 72, 120
 competition, 28
 concentrating, 60
 control, **122-124**
 endemic, 31, 58, 91, 118
 euryhaline
 faunal component, 1
 parasite, 71, 83, 88
 eradication, 122-123
 evolution, 2, 18, 117-118, 122
 exclusion, 124
 fish
 human, 49, 54, 72, 81, 97,
 107, **127-128**
 interrelationships, 1
 reduction, 54, 63, 66, 68
 habitat effect, 28
 human, 3, 48, 60, 61, 68, 69,
 82, 106
 infection levels, 1, 35, 50, 107
 information form, 116
 injury to fishes, 1, 118, 121
 inspection, 125
 interrelationships, 1
 life cycle
 dead end, 55
 introduction, 50, 51, 64
 museum deposition, 2
 number, 1, 117
 origin, 117
 plerocercoid survival, 65
 prevention, **123-124**
 research methods, 1, 50 ???
 resistance, 109
 screening, 124-125
 seasonal change, 28
 sending specimens, 114-115
 shipment, 103, 124-126
 successful, 28, 95, 98
 treatment(s)
 techniques, 13, 122, 125, 144
 USFDA 2, 122
 variety, 19, 50, 117
 vector, 82
 peacock bass, 29, **135**, 135 fn
 peacock cichlid, 135 fn
 pearl(s), 110
Pelican occidentalis, **73**
 pentastome, 106
 Pentastomida, 106 (see also
 caiman tongueworm)
Phalacrocorax auritus, **73**
Philometroides sp., **74-75**
Physa gyrina, **51**
 pied-billed grebe, **54**
Pimephales promelas, **130**

- pipefishes, 131
Piscinoodinium pillulare, **5-6**,
 118
Pisidium casertanum, **110**
Planorbella trivolis, **52**
campanulatum, **52**
 Platyhelminthes, 25 (see also
 flatworms)
Podilymbus podiceps, **54**
Poecilia mexicana, **51**
reticulata, **131**
vivipara, **131**
 Poeciliidae, 71, 131
 poem(s), 103
 pollution, 98, 118, 148
 Polyopisthocotylea, 44
Pomadasys crocro, **135**
Pomphorhynchus lucyae, 79, 150
Posthodiplostomum
minimum, **50-51**, 118
minimum centrarchi, 50, 120
minimum minimum, 50
 potato blight, 22
 poultry, threat, 76
Proteocephalus ambloplitis, **63-65**, 118, 120, 121
Protomicrocotyle mirabilis, **45**
 Protozoa, 3 (see also protozoan)
 protozoan(s)
 fish parasites, 3-20
 not harmful, normally, 3, 14
 vector, 82, 103
Pseudohaliotrema mugilinus, **37**
 Puerto Rico(an)
 fingernail clam, **110**
 fish health, 1, 117, 119
 protecting natural heritage, 1
 pumpkinseed, **18**, 142
Puntius conchoniis, **130**
 queen conch, **108**, 110
 rabbit(s), 103
 rams-horn, **52**, **53**
 ray, 61
 reader interaction (see classroom
 & sending specimens)
 redbreast sunfish, 38, 89, 109,
- 132**
 redbreast tilapia, **136**
 reddish egret, **73**
 redear sunfish, 89, **132**
 redeye bass, 30, 35, 51, 109, **133**
 red hind, **60**
 red sore
 disease, 11, 111
 treatment, 13
 red tilapia, **136**
 red water mite, **104-105**
Renibacterium salmonarum, **112**
 reptile(s), 65, 71, 82, 104, 106
 research
 competition, 28
 confirm identity, 5, 19-21, 23,
 55, 89, 104-105
 cooperation, 1, 139
 define life cycle, 80-81
 describe new, 7, 11, 19-21, 31,
 35, 38, 90
 determine threat, 118
 disease, 21, 78, 66-67, 106
 follow spread, 63, 83
 methods, 1
 parasite evolution, 122
 spawning, 13
 treatment, 13, 24
 reservoirs, 1, 126, **152**
Rhabdosynochus
rhabdosynochus, **42**
 river goby, **138**
 rivers, 1, 77, 80, 126, **153**
 rivulins, 131
Rivulus marmoratus, **131**
 rosy barb, 18, **130**
 roundworm, 68-79, 82, 120, 127
 RTLA, 112, 140
 rum, 84, 100, 115
 rust disease, 5
 sailfin armored catfish, 126, **131**
 salamander(s), 16, 95
 Salmonidae, 64
Saprolegnia spp., **23-25**, 84, 99,
 118
parasitica, 23

- saprolegniasis, 23
 sashimi, 127
 scaled sardine, **129**
Schistosoma mansoni, **48**, 123
 sea shell, 108
 sea star, 85
 seaweed(s), 20 (see also green algae)
 seed pearl, 110
 sending specimens
 fishes, examination, **114-116**
 fish parasites, 100, 115
 museum, 2
 sevicehe, 127
 shark, 61
 sheep, 103
 shoal bass, **38**
 shortfin molly, **51**
 shrimp, 12, 83, 99
Sicydium plumieri, **138**
 sirajo goby, **138**
 siri crab, **83**
 Skin blister roundworm, **78-79**
 sleepers, 138
 slime, 20
 smallmouth bass, **30**, 33, 35, 38, 88
 snail, 48, 108
 snakes, killed, 72
 snappers, 92, 134
 snooks, 131
 snowy egret, **51**
 Soleidae, 138
 soles, 138
 soleworms, 25
 southern flounder, **83**
 southern platyfish, 103, **131**
 spadefishes, 135
 sphaeriid clam(s), **110**
Sphyræna barracuda, **102**
Spinitectus carolini, **76-77**
 spinycheek sleeper, **138**
 sponge, 104
 sport fish(es)
 choosing samples, 114
 collecting fishes, 1, 139
 common names, 2
 health, welfare, 1, 117
 sending specimens, 114-116
 sportfishermen, 116, 122
 sportfishing
 bass angler cooperation, 1, 139
 tournament samples, 1,13, 139
 spotfin mojarra, **134**
 spotted bass, **30**, 33, 35, 36, 38, 67, 88
Staphylococcus sp., 130, 135
 faecalis, 135
Stephanostomum sp., 54, **55**
 ditrematis, **57-58**
 striped bass, **42**, 87
 striped mojarra, **134**
 striped mullet, **12**, 37, 44, 81, 83, 86, 89, 90, 92, 96, **137**
Strombus gigas, **108**
Strongylura timucu, **131**
 suckermouth armored catfish, 131
 sunfishes, 8, 15, 16, 77, 90, 132
 surfperch, 57
 sushi, 72, 127
 Suwannee bass, **35**, 38
 swordspine snook, **131**
Synceithrum, 30
 Syngnathidae, 131
 tadpole, 95, 97, 142
 tadpole physa, **51**
 tapeworm(s), 60-68, 82, 120, 127
 tarpon(s), **129**
 tarpon snook, 42, **132**
 termite(s), 104
Tetrameres fissispina, **75-76**
 tetraphyllidean larvae, **61-62**
 thorny-headed worm, 79-81
 threadfin shad, **129**
 threadworm, 68
 tick(s), 103
 tilapia(s), 29, 32, 63, 87, 95, 98, 109
Tilapia sp., 136 fn
 aurea, **135**
 mossambica, **135**

- mossambica* X *T. urolepis*, **136**
nilotica, **136**
rendalli, **136**
urolepis hornorum, **137**
urolepis, 137 fn
 timucu, 89, **131**
 tongueworm (see caiman
 tongueworm)
 top shell(s), **108**
 toxin, 63
 treatment(s) (see parasite)
Trichodina spp., 14, 18, **19**, 118,
 142
cubensis, **142**
discoidea, **15**, 120
fultoni, **15-16**, 17, 120
hypsilepis, **142**
jadranica, **142**
microdenticula, **16-17**
pediculus, **15-17-18**, 120, 142
reticulata, **18**
vallata, **18-19**
Trichodinella sp., 14, **19-20**
epizootica, 20
 trichodinids, 14
Tridacna gigas, **108**
 trophy fish, 111
 trout, 64
Trypanoplasma sp., **7**, 84, 118,
 121
 tumor(s)
 kidney, 112, 142
 nerve sheath, 112, 142
 neurofibroma, 112, 142
 renal adenocarcinoma, 112, 142
 sarcoma, 112, 142
 spleen lipoma, 112, 142
 ubiquitous peaclam, **110**
 USFDA, 2, 122
 USNM, 2, 139-140
Uvulifer ambloplitis, **51-52**, 118
 variable bittium, **58**
Vibrio sp., 132, 134-137
alginolyticus, 135
vulnificus, 135
 violet goby, **138**
 virus (see disease)
 wahoo, **48**
 Wami tilapia, **137**
 water mold, 22
 western mosquitofish, 51, 67, 71,
 107, 109, **131**
 white catfish, 83, **130**
 white grub, **50-51**
 white mullet, **137**
Xiphophorus helleri, **131**
maculatus, **131**
 yellowfin mojarra, **135**
 yellow grub, 49, **53-54**